

# Ambient Intelligence in Ubiquitous Learning Environments

Dr. Mamta Thakur<sup>1\*</sup>, Syed Rashid Anwar<sup>2</sup>, Dr. Tanmoy Parida<sup>3</sup>, M. Sunil Kumar<sup>4</sup>,  
Vivek Saraswat<sup>5</sup>, and Yogesh Tiwari<sup>6</sup>

<sup>1\*</sup>Assistant Professor, Department of Mathematics, Chaitanya Bharathi Institute of Technology, Hyderabad, India. mamtathakur\_maths@cbit.ac.in, <https://orcid.org/0000-0002-8204-6496>

<sup>2</sup>Assitant Professor, Department of Computer Science & IT, ARKA JAIN University, Jamshedpur, Jharkhand, India. syed.r@arkajainuniversity.ac.in, <https://orcid.org/0000-0001-9810-8850>

<sup>3</sup>Associate Professor, Department of Computer Science and Engineering, Siksha 'O' Anusandhan (Deemed to be University), Bhubaneswar, Odisha, India. tanmoyparida@soa.ac.in, <https://orcid.org/0000-0002-5782-556X>

<sup>4</sup>Assistant Professor, Department of Mechanical Engineering, Faculty of Engineering and Technology, JAIN (Deemed-to-be University), Karnataka, India. sunilkumar.m@jainuniversity.ac.in, <https://orcid.org/0000-0001-9054-4279>

<sup>5</sup>Centre of Research Impact and Outcome, Chitkara University, Rajpura, Punjab, India. vivek.saraswat.orp@chitkara.edu.in, <https://orcid.org/0009-0000-6875-1255>

<sup>6</sup>School of Pharmacy & Research, Dev Bhoomi Uttarakhand University, Dehradun, Uttarakhand, India. dehradunsopr.yogesh@dbuu.ac.in, <https://orcid.org/0009-0000-4807-7304>

Received: August 30, 2025; Revised: October 14, 2025; Accepted: November 14, 2025; Published: December 15, 2025

## Abstract

New learning environments, such as Ambient Intelligence (AmI), are ubiquitous, enabling the enhancement of the learning process through a blend of clever work and pervasive computing. The present paper discusses the application of AmI in education, specifically how It could be used to improve dynamic, adaptive, and context-driven learning. The paper employs a qualitative and quantitative research design through experiments regarding smart classes and online learning systems. The strategy involves developing a prototype system among learners and their surroundings, using sensors, machine learning algorithms, and real-time information processing. The performance of the system is evaluated by considering the participation of the users, the outcomes of the learning, and the flexibility. The data demonstrate that the retention rate (25 percent) and engagement rate (30 percent) among students in AmI-enhanced classrooms are higher than in traditional classrooms. Besides, students in AmI schools are also more satisfied with the learning process and demonstrate individualized learning. The paper will conclude by explaining how AmI will transform the education paradigm and provide students with personalized education. It is essential to note that further research will entail implementing more sophisticated AI approaches and exploring how such systems can be used across different learning environments. The statistical research indicates that AmI systems can have a tremendous impact on student performance and interest and be deemed as a key to the future of personalized learning.

---

*Journal of Wireless Mobile Networks, Ubiquitous Computing, and Dependable Applications (JoWUA)*, volume: 16, number: 4 (December), pp. 427-437. DOI: 10.58346/JOWUA.2025.14.024

\*Corresponding author: Assistant Professor, Department of Mathematics, Chaitanya Bharathi Institute of Technology, Hyderabad, India.

**Keywords:** Ambient Intelligence, Ubiquitous Learning, Context-Aware Systems, Personalized Learning, Adaptive Learning Environments, Machine Learning in Education, Smart Classrooms.

## 1 Introduction

The evolving nature of society has never been an exception to the fact that the needs of different learners in a changing environment are not the same; hence, traditional methods are not necessarily aligned with learners' expectations. Learning technology has introduced the prospect of revolutionizing the learning process for learners, but most learning applications are not dynamic (as they fail to adapt to learning processes and the context of a specific learner) (Reginald & Velliangiri, 2026). In responding to these concerns, the dynamically responsive learning environments of Ambient Intelligence (AmI) will be a good solution since they respond both to the environment of the learner and the learner (Thakur & Han, 2021; Al-Badi & Khan, 2022). The importance of this research is that it broods upon the phenomenon of AmI as a way of achieving more personalized, context-dependent, and adaptive learning experiences (Balaji et al., 2022). As the number of ubiquitous computing gadgets enters our reality, the opportunities of the never-ending assessment, instant modifications, and enhanced student interaction may be introduced into the learning environment by implementing intelligent systems into the learning spaces (Hassan & El-Rashid, 2025). This will be capable of bridging the gap between the traditional and one-size-fits-all approaches to teaching and the needs of the diverse learners in the modern learning environment (Mudiono et al., 2016). Due to the implementation of the Ambient Intelligence (AmI) in the education field, the integration perspective shifts to the more personalized learning spheres, where the individual student is treated differently (Radosavljevic et al., 2022; Machado et al., 2021). AmI systems continuously scan the accomplishments, interests, and state of a student and adjust the learning environment with the help of sensors, machine learning, and data analytics (Tabuenca et al., 2021; Rahman, 2024). This enables the learning content, learning speed, and classroom environment to be modified so that the level of engagement and learning can be enhanced (Raj & Renumol, 2022). Accordingly, AmI represents a more interactive learning experience that will promote diversity of learning styles, which improves retention, understanding, and academic performance. AmI is more personalized in learning experience than the one-size-fits-all system (Kumar et al., 2023).

### Key Contribution

- The findings demonstrate the use of Advanced Learning Analytics (ALA) systems that exploit environmental malleable machine and learning dispersion systems to customize and automate the modality of learning and the resulting experiences to maximize learner engagement and improve retention and learning outcomes.
- Compared to the other environments, students in standard AmI used classrooms environments demonstrated 30% higher engagement and 25% increased retention, which outlines the success of such context-sensitive systems.
- The balance of the glowing promise of AmI leads to a discussion of AmI context integrated with Learning Analytics (LA) to explore the prospect of addressing gaps in scalability, data privacy challenges, the gaps of learning analytics systems, and the subsequent promise of AmI in educational environments.

The paper has been organized in such a way that it gives us a complete idea of the applications of the Ambient Intelligence (AmI) in educational settings. Section II includes a literature survey, which covers the recent studies of the role of AmI in education, with a focus on the main findings and progress. Section III describes the model and methodology proposed, including system architecture, algorithm, and the

way it was implemented to carry out the AmI-based learning environment. In section IV, the experimental setup, performance metrics, results, and an analysis of the effectiveness of the system are discussed. Lastly, Section V wraps up the paper with the summary of the most critical findings, an explanation of the implications of the research, and recommendations on the way in which future studies and the creation of AmI-enhanced learning systems can proceed.

## 2 Literature Survey

The use of intelligent systems in education has become a trend as context-aware technologies and machine learning become more popular (Prabhakar, 2025). The technologies make it possible to create individualized and dynamic learning environments that address the needs of the individual students (Vistorte et al., 2024). Context-aware systems are also able to detect things such as location, physical conditions, and activity level, so that there can be dynamism in the adaptation to enhance both learning experiences and engagement. Machine learning has been essential to personalizing education, where information is analyzed, and the content is modified on the fly to meet the learning preferences, progress, and learning styles of students (Bustos-Lopez et al., 2022; Ibrahim et al., 2023). These systems rely on algorithms that learn based on previous interactions, thus students get personalized content to them, which makes them feel more engaged and improves learning (Rosmansyah et al., 2023). Personalized learning not only enhances student participation but also ensures that a student is not challenged or even overwhelmed. The retention and mastery are further enhanced by adaptive learning environments that change the learning content, pace, and style according to real-time data (Ng, 2021). These environments facilitate this by ensuring that the level of challenge offered to students enables them to achieve success by constantly tracking the performance of students (Ntoa et al., 2021; Jovanovic et al., 2022). More recent research points out the enhancement of engagement through intelligent systems, which is one of the key conditions of the success of the educational process. Interested learners remember better, and they build on their knowledge. Adaptive systems enhance the interaction by providing interactive and customized experiences that motivate interaction. Nevertheless, there are still issues such as privacy concerns, data security, and scalability. The future research must aim at perfecting those systems, enhancing their predictability and the possibility of their successful application in various educational settings, as well as looking at the ethical issues associated with the use of the data they provide. The possibilities provided by the Ambient Intelligence to establish individual, adaptive learning environments are apparent, yet this process has to be developed and implemented thoroughly (Liu et al., 2022; Ramana et al., 2022).

## 3 Methodology

The suggested Ambient Intelligence (AmI) system combines sensors, machine learning algorithms, and user interfaces to develop a dynamic and adaptive learning system. Real-time information on such aspects as temperature, lighting, and student behavior is collected with sensors and processed by machine learning to determine patterns in engagement, preferences, and performance. This information helps the system to adapt the content, pacing, and physical environment to the needs of the individual students. Student feedback is also given through user interfaces, further making the learning experience personalized. Real-time flexibility of the system improves student interaction and learning results for every student.




Figure 1: Ambient intelligence (AmI) system architecture for adaptive learning

Figure 1 presents the entire flow of data and the interaction of the components in an AmI system that is intended to have adaptive learning. It starts with Sensors, which capture environmental and user information, which is fed to a Preprocessing Unit and Feature Extraction Module. The information obtained is used to feed the Machine Learning Models (e.g., KNN), which inform the central Adaptive Learning System. Environment Adjustments and Learning Content/Pacing are dynamically controlled by this system, and a User Interaction Interface Feedback Loop is used to keep the learning process constantly refined.




Figure 2: Real-time ambient intelligence (AmI) system adaptation to learner needs

Figure 2 demonstrates the process of real-time adaptation in a learning environment in the use of Ambient Intelligence (AmI). The system receives sensor data (e.g., temperature, lighting, student interactions), finds the key features (e.g., engagement and attention span), and employs machine learning to establish patterns in behavior and circumstances. On the insights, the system will vary content, pace, and classroom environments in order to improve engagement. Student feedback also optimizes the

environment, making the learning process customized to the point that time constraints or objectives are reached.

Algorithm 1: Real-Time Student Adaptation Using K-Nearest Neighbors (KNN)

---

**Input:**

$D \{X, Y\}$ : Training dataset  $X$ (features such as engagement, task completion time, lighting, and temperature) and labels  $Y$ (class labels: 1 for “Engaged” and 0 for “Needs Break”).

$k$ : Number of nearest neighbors to consider in classification.

$\phi$ : Set of logical constraints related to learning environment adjustments.

**Output:**

Adapted learning environment based on the student's current behavior (either "Engaged" or "Needs Break").

**Parameters:**

$X$ : Training data features, where each data point  $x_i \in X$  represents a student's data vector.

$Y$ : Labels (0 = Needs Break, 1 = Engaged) for each training data point.

$k$ : Number of nearest neighbors used for classification.

$\phi$ : Learning environment adjustment rules based on predicted label (Engaged or Needs Break).

**Pseudo-code:**

```

Import numpy as np
from sklearn.neighbors import KNeighborsClassifier
from sklearn.metrics import accuracy_score
# 1. Initialize parameters:
# Define the training dataset (features and labels)
X_train = np.array([
    [0.8, 1.2, 0.6, 22], # Example student: high engagement, fast completion, moderate lighting, 22°C
    [0.4, 2.0, 0.3, 21], # Example student: low engagement, slow completion, low lighting, 21°C
    [0.9, 1.0, 0.9, 23], # Example student: high engagement, quick completion, bright lighting, 23°C
    [0.5, 1.5, 0.4, 20], # Example student: medium engagement, medium completion, low lighting,
20°C
    [0.7, 1.1, 0.8, 22] # Example student: high engagement, quick completion, highlighting, 22°C
])
y_train = np.array([1, 0, 1, 0, 1]) # Labels: 1 = Engaged, 0 = Needs Break
# 2. Define the number of nearest neighbors (k)
k = 3
# 3. Initialize the KNN model and fit it to the training data
knn = KNeighborsClassifier(n_neighbors=k)

```

```

knn.fit(X_train, y_train)
# 4. Test Data: Collect new student data (for example, collected via sensors)
X_test = np.array([[0.6, 1.3, 0.7, 21]]) # New student's data: moderate engagement, medium
completion time, moderate lighting, 21°C
# 5. Predict the class for the new student based on KNN classification
prediction = knn.predict(X_test)
# 6. Adjust the learning environment based on the prediction:
if prediction == 1:
    print("The student is engaged. Adapt the environment to enhance learning.")
    # Actions could include increasing task difficulty, providing interactive content, etc.
Else:
    print("The student needs a break. Adjust the environment for relaxation.")
    # Actions could include lowering content difficulty, adjusting lighting, or suggesting a break.
# 7. Output the predicted class (Engaged = 1, Needs Break = 0)
print(f"Predicted Class: {prediction[0]}") # Output: 1 for Engaged, 0 for Needs Break

```

---

Algorithm 1 uses K-Nearest Neighbors (KNN) to classify a student's engagement level (either "Engaged" or "Needs Break") based on real-time sensor data such as engagement, task completion time, lighting, and temperature. The learning environment is then dynamically adjusted according to the predicted classification to optimize the student's learning experience.

The learning model employs a KNN-based algorithm for predicting the student's learning needs using the Euclidean distance formula:

$$D(x, y) = \sqrt{\sum_{i=1}^n (x_i - y_i)^2} \quad (1)$$

The formula of the Euclidean distance that is employed in the KNN-based algorithm to determine the learning requirements of a student is displayed in equation 1. The formula finds the distance between any two data points, which takes into consideration all features applied in the prediction. In this case,  $x_i$  and  $y_i$  are the data sets, and  $n_i$  is the count of features that are used during the prediction.

## 4 Results and Discussion

### Software Details

The solution was developed in Python with the support of TensorFlow for useful model building and training in the deployment phase. A Raspberry Pi was utilized for the machine learning model to control sensors in the environment. These learning objectives were adapted in real-time for Raspberry Pi's robust computing performance. The form factor, flexibility, and real-time control of interfacing with a multitude of sensors make it an excellent device to optimize learning in a classroom situation; hence, the choice of the Raspberry Pi.

### Dataset Description

The testing dataset was gathered from the smart classroom, with data from 100 students, including sensor input such as temperature, lighting, movement, and interaction with learning materials. It also included learning performance metrics such as test scores, task completion times, and engagement levels. Sourced from OpenEdX, this ensured that the dataset was relevant to modern educational environments. The system, therefore, combined environmental and behavioral input to make context-aware decisions on the basis of a holistic grasp of the dynamics in the classroom.




Figure 3: Performance comparison of traditional vs. AmI-enhanced learning environments

Figure 3 presents the comparative performance metrics of students in the traditional classroom setting and those in the AmI-enhanced learning environment for certain key factors such as Retention Rate, Engagement, Task Completion Time, Student Satisfaction, Learning Outcomes, and Time Spent on Task. It can be interpreted from this graph that the environment enhanced with AmI results in substantially higher engagement and retention, increased satisfaction and learning outcomes, better task completion time, and reduced time spent on tasks. The findings prove that Ambient Intelligence works effectively to optimize the learning environment.




Figure 4: Evolution of performance metrics: traditional vs. AmI-enhanced learning environments

Figure 4 shows the evolution of students' performances in five sessions for both the traditional classroom and AmI-enhanced learning environments. All metrics being compared include attention span, cognitive load, student retention of information, and interactive learning activities. It is clear from the graph that, in the AmI-enhanced environment, there is better student retention, increased engagement, lower cognitive load, and more interactive learning activities compared to the Traditional Classroom setting.

Table 1: Performance metrics of traditional vs. AmI-enhanced classrooms

Metric	Traditional Classroom (%)	AmI-Enhanced Classroom (%)
Retention Rate	60%	85%
Engagement	55%	85%
Student Satisfaction	70%	90%
Learning Outcomes	70%	90%

Table 1 summarizes the comparisons of some key performance metrics between Traditional Classrooms and AmI-Enhanced Classrooms. Further, the data indicate that Retention Rates, Engagement, Student Satisfaction, and Learning Outcomes are higher in the AmI-Enhanced Classroom, and Task Completion Time and Time Spent on Task are lower, hence indicating that AmI-enhanced learning environments provide more efficient learning compared to traditional ones.

### Retention Rate

$$\text{Retention Rate} = \frac{\text{Amount of Material Retained}}{\text{Total Material Presented}} \times 100 \quad (2)$$

Equation 2 computes the Retention Rate, which is the ratio of material retained by a student after a learning session. This higher retention rate in AmI-Enhanced Classrooms means better information retention than in a Traditional Classroom.

### Engagement

$$\text{Engagement} = \frac{\text{Time Actively Engaged}}{\text{Total Learning Time}} \times 100 \quad (3)$$

Equation 3 quantifies the Engagement of students during a learning session; it is the proportion of time that is spent actively participating in learning. Students in AmI-Enhanced Classrooms show higher engagement, as they are kept more involved in the learning process.

### Student Satisfaction

$$\text{Student Satisfaction} = \frac{\text{Sum of Satisfaction Ratings}}{\text{Total Number of Students}} \times 100 \quad (4)$$

The student satisfaction in Equation 4 is calculated by averaging the degree of satisfaction among all learners based on the given feedback ratings. The higher the satisfaction scores in AmI-Enhanced Classrooms, the better the student experience.

### Learning Outcomes

$$\text{Learning Outcomes} = \frac{\text{Post-Test Score} - \text{Pre-Test Score}}{\text{Pre-Test Score}} \times 100 \quad (5)$$

Equation 5 calculates Learning Outcomes based on the increase in the knowledge of students as measured by pretest and posttest scores. The higher the percentage in AmI-enhanced classrooms, the higher the improvement in learning outcomes.

## 5 Conclusion

This study illustrates the potential of Ambient Intelligence in ubiquitous learning environments. Results from the trials indicate that the implementation significantly improves engagement, learning outcomes, and retention rates; retention was improved by 25%, while engagement was found to be 30% higher compared to traditional classrooms. This system is adaptive in nature, supported by real-time processing of data and machine learning. These findings point to the potential of AmI systems for addressing such issues as a lack of personalization and disengagement of students. Challenges in system integration, scalability, and privacy remain. Further research will emphasize the application of cutting-edge artificial intelligence techniques such as deep learning and natural language processing in personalizing the educational experience, and will be accompanied by larger studies on the potential effectiveness and scalability of the approach. This research demonstrates how the field of educational technology is growing through the application of ambient intelligence in the development of an adaptive and personalized learning ecosystem.

## References

- [1] Al-Badi, A., & Khan, A. (2022). Perceptions of learners and instructors towards artificial intelligence in personalized learning. *Procedia computer science*, 201, 445-451. <https://doi.org/10.1016/j.procs.2022.03.058>
- [2] Balaji, R., Logesh, V., Thinakaran, P., & Menaka, S. R. (2022). E-Learning Platform. *International Academic Journal of Innovative Research*, 9(2), 11–17. <https://doi.org/10.9756/IAJIR/V9I2/IAJIR0911>
- [3] Bustos-Lopez, M., Cruz-Ramirez, N., Guerra-Hernandez, A., Sánchez-Morales, L. N., Cruz-Ramos, N. A., & Alor-Hernandez, G. (2022). Wearables for engagement detection in learning environments: A review. *Biosensors*, 12(7), 509. <https://doi.org/10.3390/bios12070509>
- [4] Hassan, N. M., & El-Rashid, F. (2025). Design and Evaluation of Adaptive E-Learning Platforms Using Learner Behavior Analytics. *International Academic Journal of Science and Engineering*, 12(3), 26–29. <https://doi.org/10.71086/IAJSE/V12I3/IAJSE1220>
- [5] Ibrahim, M. R., Youssef, S. M., & Fathalla, K. M. (2023). Abnormality detection and intelligent severity assessment of human chest computed tomography scans using deep learning: a case study on SARS-COV-2 assessment. *Journal of Ambient Intelligence and Humanized Computing*, 14(5), 5665-5688.
- [6] Jovanovic, M., Mitrov, G., Zdravevski, E., Lameski, P., Colantonio, S., Kampel, M., ... & Florez-Revuelta, F. (2022). Ambient assisted living: scoping review of artificial intelligence models, domains, technology, and concerns. *Journal of Medical Internet Research*, 24(11), e36553.
- [7] Kumar, A., Joshi, P., Bala, A., Patil, P. S., Saini, D. J. B., & Joshi, K. (2023). Smart transaction through an ATM machine using face recognition. *Indian Journal of Information Sources and Services*, 13(2), 7-13. <https://doi.org/10.51983/ijiss-2023.13.2.3752>
- [8] Liu, P., Zhu, G., Wang, S., Jiang, W., Luo, W., Poor, H. V., & Cui, S. (2022). Toward ambient intelligence: Federated edge learning with task-oriented sensing, computation, and communication integration. *IEEE journal of selected topics in signal processing*, 17(1), 158-172. <https://doi.org/10.1109/JSTSP.2022.3226836>
- [9] Machado, S. D., Tavares, J. E. D. R., Martins, M. G., Barbosa, J. L. V., González, G. V., & Leithardt, V. R. Q. (2021). Ambient intelligence based on IoT for assisting people with

- Alzheimer's disease through context histories. *Electronics*, 10(11), 1260. <https://doi.org/10.3390/electronics10111260>
- [10] Mudiono, A., Gipayana, M., & Madyono, S. (2016). Developing of Integrated Thematic Learning Model through Scientific Approaching with Discovery Learning Technique in Elementary School. *International Academic Journal of Social Sciences*, 3(2), 159–167.
- [11] Ng, C. F. (2021). The physical learning environment of online distance learners in higher education—a conceptual model. *Frontiers in Psychology*, 12, 635117. <https://doi.org/10.3389/fpsyg.2021.635117>
- [12] Ntoa, S., Margetis, G., Antona, M., & Stephanidis, C. (2021). User experience evaluation in intelligent environments: A comprehensive framework. *Technologies*, 9(2), 41. <https://doi.org/10.3390/technologies9020041>
- [13] Prabhakar, C. P. (2025, March). Secure Multi-Party Computation in Federated Learning for Industrial IoT. *Electronics, Communications, and Computing Summit*, 3(1), 96–105.
- [14] Radosavljevic, V., Radosavljevic, S., & Jelic, G. (2022). Ambient intelligence-based smart classroom model. *Interactive Learning Environments*, 30(2), 307-321. <https://doi.org/10.1080/10494820.2019.1652836>
- [15] Rahman, F. (2024). Edge-Aware Federated Learning-Based Channel Equalization for Robust Communication in 6G-Enabled IoT Networks. *Electronics, Communications, and Computing Summit*, 2(4), 52–58.
- [16] Raj, N. S., & Renumol, V. G. (2022). A systematic literature review on adaptive content recommenders in personalized learning environments from 2015 to 2020. *Journal of Computers in Education*, 9(1), 113-148.
- [17] Ramana, T. V., Thirunavukkarasan, M., Mohammed, A. S., Devarajan, G. G., & Nagarajan, S. M. (2022). Ambient intelligence approach: Internet of Things based decision performance analysis for intrusion detection. *Computer Communications*, 195, 315-322. <https://doi.org/10.1016/j.comcom.2022.09.007>
- [18] Reginald, P. J., & Velliangiri, A. (2026). Cognitive Analogies and Adaptive Learning in Environmental Modelling: A Neural Perspective on DNDC Model Optimization. *Advances in Cognitive and Neural Studies*, 2(2), 10-19.
- [19] Rosmansyah, Y., Putro, B. L., Putri, A., Utomo, N. B., & Suhardi. (2023). A simple model of smart learning environment. *Interactive Learning Environments*, 31(9), 5831-5852. <https://doi.org/10.1080/10494820.2021.2020295>
- [20] Tabuenca, B., Serrano-Iglesias, S., Martín, A. C., Villa-Torrano, C., Dimitriadis, Y., Asensio-Pérez, J. I., ... & Kloos, C. D. (2021). Affordances and core functions of smart learning environments: A systematic literature review. *IEEE Transactions on Learning Technologies*, 14(2), 129-145. <https://doi.org/10.1109/TLT.2021.3067946>
- [21] Thakur, N., & Han, C. Y. (2021). An ambient intelligence-based human behavior monitoring framework for ubiquitous environments. *Information*, 12(2), 81. <https://doi.org/10.3390/info12020081>
- [22] Vistorte, A. O. R., Deroncele-Acosta, A., Ayala, J. L. M., Barrasa, A., López-Granero, C., & Martí-González, M. (2024). Integrating artificial intelligence to assess emotions in learning environments: a systematic literature review. *Frontiers in psychology*, 15, 1387089. <https://doi.org/10.3389/fpsyg.2024.1387089>

## Authors Biography



**Dr. Mamta Thakur** is an Assistant Professor in the Department of Mathematics at Chaitanya Bharathi Institute of Technology (CBIT), Hyderabad. She is dedicated to advancing mathematical education and research, with her academic interests spanning applied mathematics, numerical methods, and mathematical modeling. Dr. Thakur has contributed to various research publications and actively participates in academic development activities within the institute. Her commitment to quality teaching and innovative learning methodologies makes her a valuable asset to the academic community.



**Syed Rashid Anwar** is an Assistant Professor in the Department of Computer Science & IT at ARKA JAIN University, Jamshedpur, Jharkhand. He is dedicated to teaching and research in emerging areas of computing and information technology. His academic interests include computer networks, data science, software engineering, and modern IT applications. Known for his student-centric approach, he actively contributes to academic development through research guidance, publications, and participation in technical forums. He continues to work toward advancing innovative learning and contributing to the growth of the computing discipline.



**Dr. Tanmoy Parida** is an Associate Professor in the Department of Computer Science and Engineering at Siksha 'O' Anusandhan (Deemed to be University), Bhubaneswar. With strong expertise in advanced computing and interdisciplinary research, he actively contributes to the fields of artificial intelligence, machine learning, data analytics, and emerging technologies. Dr. Parida has published research in reputed journals and conferences and is committed to fostering innovation through academic mentorship and collaborative projects. His dedication to high-quality teaching and impactful research continues to support the development of future professionals in computer science.



**M. Sunil Kumar** is an Assistant Professor in the Department of Mechanical Engineering at the Faculty of Engineering and Technology, JAIN (Deemed-to-be University), Karnataka. He is dedicated to teaching and research in core mechanical engineering domains, with interests spanning thermal engineering, manufacturing processes, materials science, and engineering design. He actively contributes to academic growth through research publications, technical activities, and student mentorship. With a strong commitment to innovation and quality education, he continues to support the advancement of mechanical engineering through both academic and professional engagement.



**Vivek Saraswat** is associated with the Centre of Research Impact and Outcome at Chitkara University, Rajpura, where he contributes to advancing high-quality research and innovation-driven initiatives. His work focuses on strengthening research outcomes, supporting scholarly projects, and fostering collaborations that enhance academic impact. With a keen interest in interdisciplinary studies and emerging research trends, he actively participates in publications, research development activities, and institutional growth. His commitment to academic excellence continues to support the university's vision of impactful and meaningful research contributions.



**Yogesh Tiwari** is affiliated with the School of Pharmacy & Research at Dev Bhoomi Uttarakhand University, where he contributes to academic and research activities in the pharmaceutical sciences. His interests include drug formulation, pharmaceutical analysis, and advancements in healthcare research. He is committed to fostering a strong research culture through scholarly publications, academic collaboration, and student mentorship. With a focus on innovation and evidence-based practices, he continues to support the growth and development of the pharmacy discipline.